

according to 1907/2006/EC, Article 31

Printing date 27.05.2020

Version number 3.1

Revision: 27.05.2020

1.1 Product identifier	
Trade name:	Oil Stain
Article number: 1.2 Relevant identified uses of the substance or mixture	3501, 3512, 3514, 3516, 3518, 3519, 3541, 3543, 3564, 3590
and uses advised against Application of the substanc	No further relevant information available.
/ the mixture	Priming Coating compound/ Surface coating/ paint
1.3 Details of the supplier of	the safety data sheet
Manufacturer/Supplier:	Osmo Holz und Color GmbH & Co. KG Affhüppen Esch 12 D-48231 Warendorf
Further information obtainable from:	Product safety department
	Tel.: +49 (0) 251 / 692 - 188 Fax: +49 (0) 251 / 692 - 462
1.4 Emergency telephone	e-mail: helmut.starp@osmo.de
number:	emergency phone no. Berlin (24h): +49 (0) 30 / 30686 790 advisory service
	German and English
<b>SECTION 2: Hazards id</b> 2.1 Classification of the sub Classification according to	German and English entification stance or mixture
<b>SECTION 2: Hazards id</b> 2.1 Classification of the sub Classification according to Regulation (EC) No 1272/200	German and English
<b>SECTION 2: Hazards id</b> 2.1 Classification of the sub Classification according to Regulation (EC) No 1272/200 2.2 Label elements	German and English entification stance or mixture
<b>SECTION 2: Hazards id</b> 2.1 Classification of the sub Classification according to Regulation (EC) No 1272/200	German and English entification stance or mixture 08 The product is not classified, according to the CLP regulation.
<b>SECTION 2: Hazards id</b> 2.1 Classification of the sub Classification according to Regulation (EC) No 1272/200 2.2 Label elements Hazard pictograms Signal word Hazard statements	German and English entification stance or mixture 08 The product is not classified, according to the CLP regulation. Void Void Void Void
<b>SECTION 2: Hazards id</b> 2.1 Classification of the sub Classification according to Regulation (EC) No 1272/200 2.2 Label elements Hazard pictograms Signal word	German and English  entification  stance or mixture  78 The product is not classified, according to the CLP regulation.  Void Void Void P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children.
<b>SECTION 2: Hazards id</b> 2.1 Classification of the sub Classification according to Regulation (EC) No 1272/200 2.2 Label elements Hazard pictograms Signal word Hazard statements	German and English entification stance or mixture 08 The product is not classified, according to the CLP regulation. Void Void Void P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P262 Do not get in eyes, on skin, or on clothing.
SECTION 2: Hazards id 2.1 Classification of the sub Classification according to Regulation (EC) No 1272/200 2.2 Label elements Hazard pictograms Signal word Hazard statements Precautionary statements	German and English entification stance or mixture 08 The product is not classified, according to the CLP regulation. Void Void Void Void P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P262 Do not get in eyes, on skin, or on clothing. P271 Use only outdoors or in a well-ventilated area.
<b>SECTION 2: Hazards id</b> 2.1 Classification of the sub Classification according to Regulation (EC) No 1272/200 2.2 Label elements Hazard pictograms Signal word Hazard statements Precautionary statements	German and English  entification  stance or mixture  78 The product is not classified, according to the CLP regulation.  Void Void Void Void P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P262 Do not get in eyes, on skin, or on clothing. P271 Use only outdoors or in a well-ventilated area. EUH210 Safety data sheet available on request. EUH211 Warning! Hazardous respirable droplets may be formed when
<b>SECTION 2: Hazards id</b> 2.1 Classification of the sub Classification according to Regulation (EC) No 1272/200 2.2 Label elements Hazard pictograms Signal word Hazard statements	German and English  entification  stance or mixture  78 The product is not classified, according to the CLP regulation.  Void Void Void Void P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P262 Do not get in eyes, on skin, or on clothing. P271 Use only outdoors or in a well-ventilated area. EUH210 Safety data sheet available on request. EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist. Always wear a dust mask when sanding. Observe the general safety regulations when handling chemicals.
SECTION 2: Hazards id 2.1 Classification of the sub Classification according to Regulation (EC) No 1272/200 2.2 Label elements Hazard pictograms Signal word Hazard statements Precautionary statements Precautional information:	German and English  entification  stance or mixture  08 The product is not classified, according to the CLP regulation.  Void Void Void Void P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P262 Do not get in eyes, on skin, or on clothing. P271 Use only outdoors or in a well-ventilated area. EUH210 Safety data sheet available on request. EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist. Always wear a dust mask when sanding.



according to 1907/2006/EC, Article 31

Printing date 27.05.2020

Version number 3.1

Revision: 27.05.2020

(Contd. of page 1)

<sub>Trade name:</sub> Oil Stain

Results of PBT and vPvB assessmentPBT:Not applicable.vPvB:Not applicable.

### SECTION 3: Composition/information on ingredients

# 3.2 Mixtures Description:

Mixture of substances listed below with nonhazardous additions.

Dangerous components:			
EC number: 918-481-9	aliphatic hydrocarbons, C10-C13	🚸 Asp. Tox. 1, H304	25-50%
Reg.nr.: 01-2119457273-39 CAS: 13463-67-7	titanium dioxide		0-<30%
EINECS: 236-675-5			0- \00 /0
Additional information:	The content of Titanium dioxide varies according for the wording of the listed hazard phrase	•	

#### **SECTION 4: First aid measures**

General information:	Take affected persons out into the fresh air.
After inhalation:	Supply fresh air; consult doctor in case of complaints.
After skin contact:	Generally the product does not irritate the skin.
After eye contact:	Rinse opened eye for several minutes under running water. Then consult a doctor.
After swallowing:	If swallowed, seek medical advice immediately and show this container or label.
	Do NOT induce vomiting.
4.2 Most important symptom	S
and effects, both acute and	
delayed	Dizziness
	Headache
4.3 Indication of any immediate medical attention	

and special treatment needed No further relevant information available.

#### **SECTION 5: Firefighting measures**

5.1 Extinguishing media Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

(Contd. on page 3)



according to 1907/2006/EC, Article 31

Printing date 27.05.2020

Version number 3.1

Revision: 27.05.2020

	(Contd. of pa
For safety reasons unsuitable	le
extinguishing agents:	Water with full jet
5.2 Special hazards arising	
from the substance or	
mixture	Formation of toxic gases is possible during heating or in case of fire.
5.3 Advice for firefighters	
Protective equipment:	Mouth respiratory protective device.
Additional information	Cool endangered receptacles with water spray.
	Dispose of fire debris and contaminated fire fighting water in accordance w
	official regulations.
SECTION 6: Accidental	release measures
	release measures
6.1 Personal precautions,	release measures
6.1 Personal precautions, protective equipment and	
6.1 Personal precautions,	Ensure adequate ventilation
6.1 Personal precautions, protective equipment and emergency procedures	
6.1 Personal precautions, protective equipment and emergency procedures 6.2 Environmental	Ensure adequate ventilation Keep away from ignition sources.
6.1 Personal precautions, protective equipment and emergency procedures	Ensure adequate ventilation Keep away from ignition sources. Inform respective authorities in case of seepage into water course or sewa
<ul> <li>6.1 Personal precautions, protective equipment and emergency procedures</li> <li>6.2 Environmental precautions:</li> </ul>	Ensure adequate ventilation Keep away from ignition sources. Inform respective authorities in case of seepage into water course or sewa system.
<ul> <li>6.1 Personal precautions, protective equipment and emergency procedures</li> <li>6.2 Environmental precautions:</li> <li>6.3 Methods and material for</li> </ul>	Ensure adequate ventilation Keep away from ignition sources. Inform respective authorities in case of seepage into water course or sewa system.
<ul> <li>6.1 Personal precautions, protective equipment and emergency procedures</li> <li>6.2 Environmental precautions:</li> <li>6.3 Methods and material for</li> </ul>	Ensure adequate ventilation Keep away from ignition sources. Inform respective authorities in case of seepage into water course or sewa system. <b>b:</b> Warm water and cleansing agent
<ul> <li>6.1 Personal precautions, protective equipment and emergency procedures</li> <li>6.2 Environmental precautions:</li> <li>6.3 Methods and material for</li> </ul>	Ensure adequate ventilation Keep away from ignition sources. Inform respective authorities in case of seepage into water course or sewa system. <b>b:</b> Warm water and cleansing agent Absorb with liquid-binding material (sand, diatomite, acid binders, universa
<ul> <li>6.1 Personal precautions, protective equipment and emergency procedures</li> <li>6.2 Environmental precautions:</li> <li>6.3 Methods and material for containment and cleaning up</li> </ul>	Ensure adequate ventilation Keep away from ignition sources. Inform respective authorities in case of seepage into water course or sewa system. <b>b:</b> Warm water and cleansing agent
<ul> <li>6.1 Personal precautions, protective equipment and emergency procedures</li> <li>6.2 Environmental precautions:</li> <li>6.3 Methods and material for containment and cleaning up</li> <li>6.4 Reference to other</li> </ul>	Ensure adequate ventilation Keep away from ignition sources. Inform respective authorities in case of seepage into water course or sewa system. <b>b:</b> Warm water and cleansing agent Absorb with liquid-binding material (sand, diatomite, acid binders, universa binders).
<ul> <li>6.1 Personal precautions, protective equipment and emergency procedures</li> <li>6.2 Environmental precautions:</li> <li>6.3 Methods and material for containment and cleaning up</li> </ul>	Ensure adequate ventilation Keep away from ignition sources. Inform respective authorities in case of seepage into water course or sewa system. <b>b:</b> Warm water and cleansing agent Absorb with liquid-binding material (sand, diatomite, acid binders, universa

### SECTION 7: Handling and storage

7.1 Precautions for safe		
handling	Keep away from heat and direct sunlight.	
	Use only in well ventilated areas.	
	Keep receptacles tightly sealed.	
	Prevent formation of aerosols.	
Information about fire - and		
explosion protection:	Keep ignition sources away - Do not smoke.	
7.2 Conditions for safe storage	e, including any incompatibilities	
Storage:		
Requirements to be met by		
storerooms and receptacles:	Store only in the original receptacle.	
-	Store in a cool location.	
		(Contd. on page 4)

GB



according to 1907/2006/EC, Article 31

Printing date 27.05.2020

Version number 3.1

Revision: 27.05.2020

Trade name: Oil Stair	n
	(Contd. of page 3)
Information about s	-
one common storag	<b>ye facility:</b> Do not store together with alkalis (caustic solutions).
Further information	Do not store together with oxidising and acidic materials.
storage conditions:	
storage contaitions.	Keep container tightly sealed.
Storage class:	VCI storage class (VCI = German Association of the Chemical Industry): 10
7.3 Specific end use	
SECTION 8: Exp	osure controls/personal protection
Additional informati	ion about
design of technical	facilities: No further data; see item 7.
8.1 Control paramet	ers
Ingredients with lim	
that require monitor	ring at the
workplace:	The product does not contain any relevant quantities of materials with critical
	values that have to be monitored at the workplace.
Additional informati	<i>ion:</i> The lists valid during the making were used as basis.
8.2 Exposure contro	bls
Personal protective	equipment:
General protective a	and
hygienic measures:	Immediately remove all soiled and contaminated clothing
	Avoid contact with the eyes and skin.
	Do not eat, drink, smoke or sniff while working.
	Do not carry product impregnated cleaning cloths in trouser pockets.
Respiratory protecti	-
	Use suitable respiratory protective device only when aerosol or mist is formed.
	In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective
	device.
	Half mask with round thread connection EN 148-1 (screw-on filter) and
	combination filter A1 - P2 according to German DIN EN 14387.
Protection of hands	•
	The glove material has to be impermeable and resistant to the product/ the
	substance/ the preparation.
	To avoid skin problems reduce the wearing of gloves to the required minimum.
	Selection of the glove material on consideration of the penetration times, rates
	of diffusion and the degradation
Material of gloves	Nitrile rubber, NBR
	(Contd. on page 5)



according to 1907/2006/EC, Article 31

nting date 27.05.2020	Version number 3.1	Revision: 27.05.2020
<sub>ade name:</sub> Oil Stain		
Develoption time of aloue		(Contd. of page 4)
Penetration time of glove material	The exact break trough time has to be found o	out by the manufacturer of the
material	protective gloves and has to be observed.	
For the permanent contact		
gloves made of the followin	ng	
materials are suitable:	Nitrile rubber, NBR	
	Recommended thickness of the material: $\geq 0.4$	
	For the mixture the penetration time has to be	
	(Permeation according to EN 374 Part 3: Leve	916).
For the permanent contact	of	
a maximum of 15 minutes		
gloves made of the followin	-	
materials are suitable:	Nitrile rubber, NBR	
Eye protection: Body protection:	Goggles recommended during refilling Protective work clothing	
-	nysical and chemical properties	
General Information	nysical and chemical properties	
-	nysical and chemical properties Viscous	
General Information Appearance:		
General Information Appearance: Form:	Viscous	
General Information Appearance: Form: Colour:	Viscous Different according to colouring	
General Information Appearance: Form: Colour: Odour:	Viscous Different according to colouring Mild	
General Information Appearance: Form: Colour: Odour: Change in condition	Viscous Different according to colouring Mild <i>int:</i> Undetermined.	
General Information Appearance: Form: Colour: Odour: Change in condition Melting point/freezing poi	Viscous Different according to colouring Mild <i>int:</i> Undetermined.	
General Information Appearance: Form: Colour: Odour: Change in condition Melting point/freezing poi Initial boiling point and bo	Viscous Different according to colouring Mild int: Undetermined. oiling range: > 180 °C	
General Information Appearance: Form: Colour: Odour: Change in condition Melting point/freezing poi Initial boiling point and bo Flash point:	Viscous Different according to colouring Mild int: Undetermined. oiling range: > 180 °C > 60 °C (DIN EN ISO 2719)	
General Information Appearance: Form: Colour: Odour: Change in condition Melting point/freezing poi Initial boiling point and bo Flash point: Ignition temperature:	Viscous Different according to colouring Mild int: Undetermined. oiling range: > 180 °C > 60 °C (DIN EN ISO 2719) 240 °C	formation of explosive air/vapour
General Information Appearance: Form: Colour: Odour: Change in condition Melting point/freezing poi Initial boiling point and bo Flash point: Ignition temperature: Auto-ignition temperature:	Viscous Different according to colouring Mild int: Undetermined. oiling range: > 180 °C > 60 °C (DIN EN ISO 2719) 240 °C Product is not selfigniting. Product is not explosive. However, f	formation of explosive air/vapour
General Information Appearance: Form: Colour: Odour: Change in condition Melting point/freezing poi Initial boiling point and bo Flash point: Ignition temperature: Auto-ignition temperature: Explosive properties:	Viscous Different according to colouring Mild int: Undetermined. oiling range: > 180 °C > 60 °C (DIN EN ISO 2719) 240 °C Product is not selfigniting. Product is not explosive. However, f	formation of explosive air/vapour
General Information Appearance: Form: Colour: Odour: Change in condition Melting point/freezing poi Initial boiling point and bo Flash point: Ignition temperature: Auto-ignition temperature: Explosive properties: Explosion limits:	Viscous Different according to colouring Mild int: Undetermined. oiling range: > 180 °C > 60 °C (DIN EN ISO 2719) 240 °C Product is not selfigniting. Product is not selfigniting. Product is not explosive. However, f mixtures are possible.	formation of explosive air/vapour
General Information Appearance: Form: Colour: Odour: Odour: Change in condition Melting point/freezing poi Initial boiling point and bo Flash point: Ignition temperature: Auto-ignition temperature: Explosive properties: Explosion limits: Lower:	Viscous Different according to colouring Mild int: Undetermined. oiling range: > 180 °C > 60 °C (DIN EN ISO 2719) 240 °C Product is not selfigniting. Product is not selfigniting. Product is not explosive. However, f mixtures are possible. 0.7 Vol %	formation of explosive air/vapour
General Information Appearance: Form: Colour: Odour: Change in condition Melting point/freezing poi Initial boiling point and bo Flash point: Ignition temperature: Auto-ignition temperature: Explosive properties: Explosion limits: Lower: Upper:	Viscous Different according to colouring Mild int: Undetermined. oiling range: > 180 °C > 60 °C (DIN EN ISO 2719) 240 °C Product is not selfigniting. Product is not selfigniting. Product is not explosive. However, f mixtures are possible. 0.7 Vol % 6.0 Vol % 0.90 - 1.15 g/cm³ (DIN 51757)	formation of explosive air/vapour
General Information Appearance: Form: Colour: Odour: Odour: Change in condition Melting point/freezing poi Initial boiling point and bo Flash point: Ignition temperature: Auto-ignition temperature: Explosive properties: Explosion limits: Lower: Upper: Density at 20 °C:	Viscous Different according to colouring Mild int: Undetermined. oiling range: > 180 °C > 60 °C (DIN EN ISO 2719) 240 °C Product is not selfigniting. Product is not selfigniting. Product is not explosive. However, f mixtures are possible. 0.7 Vol % 6.0 Vol % 0.90 - 1.15 g/cm³ (DIN 51757)	formation of explosive air/vapour



according to 1907/2006/EC, Article 31

Printing date	27.05.2020
---------------	------------

Version number 3.1

Revision: 27.05.2020

<sub>de name:</sub> Oil Stain	
	(Contd. of page
Viscosity:	
Dynamic:	Not determined.
Kinematic at 20 °C:	30-45 s (DIN EN ISO 2431/4 mm)
	>21 mm²/s (40°C) (calculated)
Solvent content:	
VOC (EC)	< 500 g/l (VOC-max. Cat A/i (2010) = 500 g/l)
9.2 Other information	No further relevant information available.
SECTION 10: Stability ar	nd reactivity
10.1 Reactivity	No further relevant information available.
10.2 Chemical stability	
Thermal decomposition /	
conditions to be avoided:	No decomposition if used according to specifications.
	No decomposition if used and stored according to specifications.
10.3 Possibility of hazardous	
reactions	Reacts with fabric soaked in the product (e.g. cleaning wool).
10.4 Conditions to avoid	No further relevant information available.
10.5 Incompatible materials:	No further relevant information available.
10.6 Hazardous	
decomposition products:	Carbon monoxide and carbon dioxide
	Nitrogen oxides (NOx)
Additional information:	Warning:
	Wash out any used cloth impregnated with this product immediately after use
	or store in an airtight container (danger of self-ignition)
SECTION 11: Toxicologi	ical information
11.1 Information on toxicolog	yical effects
Acute toxicity	Based on available data, the classification criteria are not met.
LD/LC50 values relevant for o	classification:
	C13
aliphatic hydrocarbons, C10-	
	ng/kg (rat)
Oral LD50 >5,000 m	ng/kg (rat)
Oral LD50 >5,000 m	ng/kg (rat) ng/kg (rat)

13463-67	13463-67-7 titanium dioxide		
Oral	LD50	>20,000 mg/kg (rat)	
Dermal	LD50	>10,000 mg/kg (rabbit)	
		(Contd. on page 7)	

(Contd. on page 7

GB



according to 1907/2006/EC, Article 31

Printing date 27.05.2020

Version number 3.1

Revision: 27.05.2020

<i>Trade name:</i> Oil Stain	
	(Contd. of page 6)
Primary irritant effect:	
Skin corrosion/irritation	At long or repeated contact with skin it may cause dermatitis due to the
	degreasing effect of the solvent.
	$m{n}$ Based on available data, the classification criteria are not met.
Respiratory or skin	
sensitisation	Based on available data, the classification criteria are not met.
	mutagenicity and toxicity for reproduction)
Germ cell mutagenicity	Based on available data, the classification criteria are not met.
Carcinogenicity	Based on available data, the classification criteria are not met.
Reproductive toxicity	Based on available data, the classification criteria are not met.
STOT-single exposure	Based on available data, the classification criteria are not met.
STOT-repeated exposure	Based on available data, the classification criteria are not met.
Aspiration hazard	Based on available data, the classification criteria are not met.
SECTION 12: Ecologica	I information
12.1 Toxicity	
Aquatic toxicity:	
aliphatic hydrocarbons, C10-	-C13
EC50 / 48h >1,000 mg/l (daph	nia)
IC50 / 72h >1,000 mg/l (algae	e)
LC50 / 96h >1,000 mg/l (fish)	
12.2 Persistence and	
degradability	No further relevant information available.
12.3 Bioaccumulative	
potential	No further relevant information available.
12.4 Mobility in soil	No further relevant information available.
Additional ecological inform	ation:
General notes:	Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
12.5 Results of PBT and vPv	B assessment
PBT:	Not applicable.
vPvB:	Not applicable.
12.6 Other adverse effects	No further relevant information available.
SECTION 13: Disposal of	considerations
SECTION 13. Disposal C	,011314614110113

### 13.1 Waste treatment methods

Recommendation

# Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 8)



#### according to 1907/2006/EC, Article 31

Printing date 27.05.2020

Version number 3.1

Revision: 27.05.2020

de name: Oil Stain	
	(Contd. of pag
European waste catalogue	
08 01 12 waste paint and var	rnish other than those mentioned in 08 01 11
15 01 04 metallic packaging	
Uncleaned packaging: Recommendation: Recommended cleansing agents:	Disposal must be made according to official regulations. Water, if necessary together with cleansing agents.
SECTION 14: Transpor	t information
14.1 UN-Number ADR, ADN, IMDG, IATA	Not applicable
14.2 UN proper shipping na	ime
ADR	Not applicable
ADN, IMDG, IATA	Not applicable
14.3 Transport hazard class	s(es)
ADR, ADN, IMDG, IATA	
Class	Not applicable
14.4 Packing group ADR, IMDG, IATA	Not applicable
14.5 Environmental hazards	
Marine pollutant:	No
14.6 Special precautions fo	r user Not applicable.
14.7 Transport in bulk acco	ording to Annex II of Not applicable.
Marpol and the IBC Code	
Transport/Additional inform	nation: Not dangerous according to the above specifications.

### SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU Named dangerous substances - ANNEX I	None of the ingredients is listed.
National regulations:	GISCODE: Ö60
GISBAU-Code	(Contd. on page 9)



according to 1907/2006/EC, Article 31

Printing date 27.05.2020

Version number 3.1

Revision: 27.05.2020

	(Contd. of pa
VOC (EC)	< 500 g/l (VOC-max. = 500 g/l (2010 A/i))
15.2 Chemical safety	
assessment:	A Chemical Safety Assessment has not been carried out.
SECTION 16: Other info	ormation
	our present knowledge. However, this shall not constitute a guarantee for any shall not establish a legally valid contractual relationship.
Relevant phrases	H304 May be fatal if swallowed and enters airways.
Department issuing SDS:	product safety department
Contact:	Hr. Dr. Starp
Abbreviations and acronym	<ul> <li>ADR: Accord européen sur le transport des marchandises dangereuses par Route (Europeau Agreement concerning the International Carriage of Dangerous Goods by Road)</li> <li>IMDG: International Maritime Code for Dangerous Goods</li> <li>IATA: International Air Transport Association</li> <li>GHS: Globally Harmonised System of Classification and Labelling of Chemicals</li> <li>EINECS: European Inventory of Existing Commercial Chemical Substances</li> <li>ELINCS: European List of Notified Chemical Substances</li> <li>CAS: Chemical Abstracts Service (division of the American Chemical Society)</li> <li>VOC: Volatile Organic Compounds (USA, EU)</li> <li>LC50: Lethal concentration, 50 percent</li> <li>LD50: Lethal dose, 50 percent</li> </ul>